

MATERIAL SAFETY DATA SHEET

According to Reg. 1907/2006/EC, Reg. 543/2010/EC and Dir. 67/548/EC

1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name	SC - SURFACE CONDITIONING
Use of the product	Abrasive material for mechanical industry
Company name:	BIBIELLE S.p.A.
Address:	Via Cuneo, 35 - 12040 Margarita (CN)
Telephone number:	+39 0171 793800
Fax number:	+39 0171 793001
E-mail	bibielle@bibielle.com
Emergency phone number:	+39 0171 793800

2 HAZARDS IDENTIFICATION

Classification	The product is classified not hazardous according to Reg. 1272/2008/CE and to Dir 67/548/EC
Hazards for Human	No relevant hazards for human
Hazards for the environment	No relevant hazards for the environment
Physical or chemical hazards	No relevant physical or chemical hazards

3 COMPOSITION / INFORMATION ON INGREDIENTS

Material is composed of abrasive powders supported on a structure of Nylon, cotton/polyester tissue binded by a polymerized synthetic resin

Abrasive material

Matrix	Substance	Hazard symbol	Classification	CAS N.	EC N.	% by weight**
Abrasive powders	Corundum* (Al ₂ O ₃)	---	---	1344-28-1	215-691-6	20 - 60
	Silicon carbide (CSi)	---	---	409-21-2	206-991-8	

Structural support

Matrix	Structural component	Hazard symbol	Classification	CAS N.	EC N.	% by weight**
Support	Nylon Fiber	none	---	n.a.	n.a.	20 - 60
	Cotton/polyester tissue	none	---	n.a.	n.a.	10 - 40
Binder	Polymerized Synthetic Resin	none	---	n.a.	n.a.	10 - 50

*: Corundum is a natural form of aluminium oxide; it contains small impurities of iron, magnesium and silica

** : any uncertain range concerning % amount of any component does not influence the hazard classification of the material, according to Reference Regulation

MATERIAL SAFETY DATA SHEET

According to Reg. 1907/2006/EC, Reg. 543/2010/EC and Dir. 67/548/EC

4 FIRST AID MEASURES					
Preamble	Following statements must be taken as base-rules concerning abrasive materials and has to be completed according to safety data sheets of processed materials and process cooling liquid used				
General informations	In case of eyes and skin contact, give priority to eyes first aid measures				
Eye contact	Rinse opened eye for several minutes under running water and seek immediate medical advice, showing this MSDS				
Skin contact	Remove contaminated clothes. Immediately wash with water and soap and rinse thoroughly.				
Inhalation	Supply fresh air; consult doctor in case of complaints				
Swallowing	No negative effects in case of swallowing. Drink water and seek immediate medical advice, showing this MSDS				
5 FIRE FIGHTING MEASURES					
Suitable extinguishing agents	CO ₂ , extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam				
Protective equipment	Ordinary protective equipment in case of fire-fighting				
Specific risks	None				
6 ACCIDENTAL RELEASE MEASURES					
Person-related safety precautions	n.a.				
Measures for environmental protection					
Measures for cleaning/collecting					
7 HANDLING AND STORAGE					
Handling	Avoid direct contact using recommended handling safety equipment (see § 8). According to normal use conditions, product does not contain volatile components				
Storage	Keep in cool, dry, ventilated storage in closed original containers. Do not drinking or eating near the storage place				
8 EXPOSURE CONTROLS / PERSONAL PROTECTION					
Risk scenario	Any risk concerning the use in mechanical industry Experimental toxicological data are not available concerning specific exposure scenarios. Hazard classification of this product was done according to Reg. 1272/2008/EC and other available informations				
Information about design of technical facilities	Ensure good ventilation/exhaustion at the workplace. Safety washing water must be available for skin and eyes				
Exposure limit values		OSHA 2010 TWA [mg/m ³]		ACGIH 2010 TWA [mg/m ³]	
	Substance	Total	Respirable fraction	Inhalable fraction	Respirable fraction
	<i>Silicon carbide</i>	15	5	10	3
	<i>Corundum [Al₂O₃]</i>	15	5	---	---
	<i>Particles not otherwise classified</i>	10 mg/m ³ inhalable fraction (TWA 8 h, ACGIH 2010) 3 mg/m ³ respirable fraction (TWA 8 h, ACGIH 2010)			

MATERIAL SAFETY DATA SHEET

According to Reg. 1907/2006/EC, Reg. 543/2010/EC and Dir. 67/548/EC

Respiratory protection	In case of brief exposure use respiratory filter device Protection factor: P3 
Eyes protection	Safety goggles or face shield 
Hands protection	Protective gloves for chemical products, according to standard EN374; materials for long contact time 
Skin protection	Use protective clothes and protective shoes 
Other informations	Abrasive materials used are inert and cannot cause risks when correctly stored and managed. During use on machineries, they request safety precautions for workers. The most part of powder particles comes from the processed material and eventually from the cooling liquid. Consequently attention and safety precautionary measures on vapours and dusts environmental removing must be applied. Follow the local Safety Management standards and instructions

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Solid abrasive material
Odour	Odourless
PH	n.a.
Charge	n.a.
Boiling point	n.a.
Melting point	n.a.
Flash point	n.a.
Vapour pressure	n.a.
Water solubility at 20 °C	Not soluble
Volatile organic chemicals (VOC)	No volatile chemicals (VOC) are present at detectable level
Ripartition coefficient n-octanol/water	n.a.

10 STABILITY AND REACTIVITY

Stability	Stable in normal handling and storage conditions
Conditions/materials to avoid	Keep away from strong oxidizers and electrostatic charges
Dangerous decomposition products	After overheating and drying, thermal decomposition at °T > 250 °C can produce dangerous vapours as carbon dioxide, carbon oxide and nitrogen oxides

MATERIAL SAFETY DATA SHEET

According to Reg. 1907/2006/EC, Reg. 543/2010/EC and Dir. 67/548/EC

11 TOXICOLOGICAL INFORMATIONS

Material is inert on structural matrix. Data are referring to used abrasive components

Carcinogenic effects:	n.a.
Mutagenic effects:	n.a.
Acute toxicity	Al ₂ O ₃ (Corundum): > 5000 mg/Kg - DL50, oral rat (IUCLID Data Sheet, European Chemical Bureau) CSi (Silicon Carbide): not available data
Chronic toxicity	n.a.
Skin	Mechanical irritating effects
Inhalation	Irritating (superior respiratory system). Powders produced during use can cause respiratory irritating effects
Eyes	Mechanical irritating effects: symptoms can be irritating, reddening, damages of corneal surface, tearing. Powders produced during use can cause eyes irritating effects
Other negative effects	Other risks can be caused depending on the abrasion process material used

12 ECOLOGICAL INFORMATIONS

Ecological toxicity	Al ₂ O ₃ (Corundum): > 100 mg/l – 96 h, salmo trutta (long time acute toxicity) > 100 mg/l – 48 h, daphnia magna (long time acute toxicity) CSi (Silicon carbide): not available data
Mobility	n.a.
Biopersistence	n.a.
Biodegradability	n.a.
Potential of bioaccumulation	n.a.

13 DISPOSAL CONSIDERATIONS

Disposal recommendation	Recovery if possible. Waste and uncleaned packages must be disposed of in accordance with state and local environmental regulations.
-------------------------	---

14 TRANSPORT INFORMATION

Transport classification and regulation	ONU number: n.a. ADR/RID: not regulated (road and railway) ICAO/IATA: not regulated (air transport) IMDG/IMO: nor regulated (maritime transport)
---	---

MATERIAL SAFETY DATA SHEET

According to Reg. 1907/2006/EC, Reg. 543/2010/EC and Dir. 67/548/EC

15 REGULATORY INFORMATION

Hazard labelling symbols	None	
Risk statements	None	
Precautionary statements (Dir. 67/548/CE)	S 22	Do not breathe dust
	S 39	Wear eye/face protection
Precautionary statements (Reg. 1272/2008/CE)	P 260	Do not breathe dust
	P 280	Wear protective gloves/eye/face protection
Other regulation references	Reg. 1272/2008/EC on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Product does not contains substances classified carcinogenic cat. I or cat. 2	

16 OTHER INFORMATIONS

H/R – statements (full text) (§ 3)	---
Further informations and references	<p>Informations are updated to: Dir. 2009/2/EC - 31 ° update of Dir. 67/548/EC and according to Reg. 1907/2006/EC, Dir. 2001/58/EC and 1999/45/EC and Reg. 1972/2008/EC Reg. 1272/2008/EC (classification, labelling and packaging of substances and preparations) modifying directives 67/548/EC, 1999/45/EC and Reg. 1907/2006/EC NIOSH: Registry of toxic effects of chemical substances ACGIH: American Conference of Governmental Industrial Hygienists When applicable, according to Reg. 1907/2006/EC - chapter II, all substances used in this preparation where preregistered Product is according to Reg. 1907/2006/EC – title II requirements (registration of substances) Dir. 42/2006/CE (machineries directive): n.a.</p>

ABBREVIATIONS AND ACRONYMS

LD50	Average letal dose
TLV - TWA	Threshold Limit Value - Time Weighted Average
STEL	Short Term Exposure Limit
OES	Occupational Exposure Standard
REACH	Registration, Evaluation, Autorisation of Chemicals. Regulation 1907/2008/EC
n.a.	Not applicable/Not available

DISCLAIMER

THIS PREPARATION MUST BE USED ONLY IN THE PROPER WAY FOR PROPER USE.

THE INFORMATIONS CONTAINED IN THIS MSDS, AS OF THE ISSUE DATA, IS BELIEVED TO BE TRUE AND CORRECT. HOWEVER, THE ACCURACY OR COMPLETENESS OF THIS INFORMATION AND ANY RECOMMENDATIONS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY OR GUARANTEE. SINCE THE CONDITIONS OF USE ARE BEYOND THE CONTROL OF OUR COMPANY, IT IS THE RESPONSABILITY OF THE USER TO DETERMINE THE CONDITIONS OF SAFE USE OF THIS PRODUCT